

DIMENSIONS @ DISPENSERS AND RECEPTACLES ARE TO HEIGHT OF OPERABLE PART

GENERAL NOTES:

A. COORDINATE WITH INTERIOR ELEVATIONS AND MOUNTING HEIGHTS SCHEDULE FOR LOCATION OF WOOD BLOCKING IN WALL PARTITIONS FOR ACCESSORIES

NOTES THIS DRAWING:

- 1 DRYWALL PARTITION - REFER TO FINISH SCHEDULE
- 2 CERAMIC WALL TILE, TCA #W243
- 3 TOILET PARTITION
- 4 ELECTRIC WATER COOLER
- 5 ELECTRIC DOOR EYE
- 6 PLASTIC LAMINATE WALL AND BASE CABINETS
- 7 30" WIDE PLASTIC LAMINATE VANITY BASE CABINET - TYPICAL UNLESS OTHERWISE NOTED
- 8 WALL MOUNTED MIRROR WITH TOP AND BOTTOM STAINLESS STEEL RECEIVING CHANNELS
- 9 REFER TO THE A-800 SERIES DRAWINGS FOR EQUIPMENT
- 10 HORIZONTAL AND VERTICAL GRAB BARS
- 11 TOILET PAPER DISPENSER
- 12 TOILET SEAT COVER
- 13 SOAP DISPENSER
- 14 GALVANIZED 1 1/4" NOMINAL STD PIPE HANDRAIL - PAINTED
- 15 GALVANIZED STANDARD WALL BRACKET ANCHORED TO CMU WALL WITH 3/8" DIA X 2" BOLT AND EXPANSION SHIELD - PAINTED
- 16 CLOSURE PLATE
- 17 FACE OF WALL
- 18 SECTIONAL OVERHEAD DOOR
- 19 8" RAISED CONCRETE PAD PAINTED - REFER TO FINISH SCHEDULE
- 20 PROVIDE WOOD BLOCKING WITHIN WALL PARTITION TO SUPPORT LEDGER BOARD
- 21 HARDWOOD 1" X 2" LEDGER BOARD ANCHORED INTO WOOD BLOCKING
- 22 SOLID PLASTIC SURFACE
- 23 ALCOVE FOR OWNER PROVIDED MILLWORK
- 24 CERAMIC WALL TILE, TCA #W244 WITHIN STALL SHOWERS
CERAMIC
- 25 4" CONCRETE HOUSEKEEPING PAD
- 26 CMU WALL PARTITION - REFER TO FINISH SCHEDULE
- 27 EMERGENCY SHOWER AND EYE WASH STATION
- 28 STAINLESS STEEL WIRE SHELVING
- 29 24" X 16" METAL ENCLOSURE WITH 1" HEMMED FLANGES
- 30 VINYL CRASH RAIL, WALL COVERING PANEL, AND CORNER TRIM - REFER TO SHEET A-602
- 31 LOCKER - REFER TO A-800 SERIES DRAWINGS
- 32 PAPER TOWEL/WASTE RECEPTACLE
- 33 OVERHEAD DOOR WARNING BUZZER & LIGHT AT 7'-4" AFF TYP (TO LEFT OF DOOR LOOKING OUT)
- 34 SHOWER ROD - TYPICAL AT ALL HC STALL SHOWERS
- 35 COAT HOOK - TYPICAL ABOVE ALL TOILET SHELVES
- 36 FOLDING SHOWER SEAT - TYPICAL AT ALL HC STALL SHOWER
- 37 TOILET ROOM SHELF - REFER TO DETAIL 14/A-401
- 38 3/4" SOLID SURFACE
- 39 3/4" PLYWOOD
- 40 3" STEEL CHANNEL TO 2X2 TUBE IN WALL
- 41 SOLID SURFACE BACKSPLASH
- 42 LAVATORY COUNTER ABOVE
- 43 3" STAINLESS STEEL LEG
- 44 4" X 4" FLUSH MOUNTED JUNCTION BOX FOR DOOR OPERATOR - REFER TO ELECTRICAL



HUGHES GROUP ARCHITECTS
22630 DAVIS DRIVE, SUITE 175
STERLING, VIRGINIA 20164
703.437.6600

CIVIL:

ALPHA ENGINEERING
21351 Ridgetop Circle, Suite 200
Sterling, VA 20166
(703) 450-0800

STRUCTURAL:

EHLERT-BRYAN
1451 Dolley Madison Blvd. Suite 220
McLean, VA 22101
(703) 827-9552

MECHANICAL/ELECTRICAL:


BRINJAC ENGINEERING
4000 Albermarle Street, NW, Suite 305
Washington, DC 20016
(202) 237-2750



PURCELLVILLE FIRE AND RESCUE

500 MAPLE AVE. BUILDING #
PURCELLVILLE, VIRGINIA

INTERIOR ELEVATIONS



REVISIONS:

ISSUES:
9-26-07 BID SET

STAMP AND SEAL:

DATE: _____ SCALE: _____

PROJECT NO. 0611

SHEET:

A-401